

2°45'30" | 1000.00' | 48.14' 24.08' S 5'18'27" E 48.14' 2°57'08" | 1000.00' | 51.53' 25.77' S 8'09'46" E 51.52' S 6'47'02" E 5'42'38" 500.00' 49.83' 24.94' 49.81' S 0°07'13" E 63.76 7°36'59" | 480.00' | 63.81' 31.95' 7°36'59" | 540.00' | 71.78' S 0°07'13" E 71.73' 35.94' 7°36'59" | 480.00' | 63.81' 31.95' N 0°07'13" W 63.76 0°57'02" | 540.00' 8.96' 4.48' N 3°12'46" E 8.96' C26 | 6'39'57" | 540.00' | 62.82' 31.45' N 0°35'44" W 62.79' 5'42'38" 500.00' 49.83' N 1°04'23" W 49.81' 24.94'

24.43'

25.41

N 0°22'57" E

N 2°28'22" W

48.86'

50.80'

C28 | 2°47'58" | 1000.00' | 48.86'

C29 | 2°54'40" | 1000.00' | 50.81'

<u>LEGEND</u>

O.R.W.C.T.

D.R.W.C.T.

[CM]

BOUNDARY LINE

ADJOINER BOUNDARY LINE

1/2" CAPPED IRON ROD SET

WASHINGTON COUNTY, TEXAS

WASHINGTON COUNTY, TEXAS

CONTROLLING MONUMENT

SURVEY MONUMENT

MARKED 'GESSNER'

IRON ROD FOUND

DEED RECORDS OF

OFFICIAL RECORDS OF

CHILDRESS RANCH DRIVE				
CURVE #	RADIUS	LENGTH	CHORD BRG.	CHORD DIST.
C1	510.00'	67.79'	S00° 07' 13"E	67.74'
C2	510.00'	67.79'	S00° 07' 13"E	67.74'


	SHEE	T LAYOUT:
SHEET 1 SHEET 3 SHEET 2 SHEET 4	FW 1155	

SEE SHEET 5 FOR NOTES AND SIGNATURES/DECLARATIONS

115.34 ACRES

J. DAVIS SURVEY ABSTRACT NO. 37 WASHINGTON COUNTY, TEXAS SCALE: 1"=100' JANUARY, 2023 DEVELOPED BY: DEMPSEYGILL, LLC 8904 FM 2920 STE. 1A SPRING, TEXAS 77379

SHEET 1 OF 5



BENCHMARK NO. 37: 12" DIA. CONCRETE
MONUMENT WITH BRASS
DISK STAMPED #37
ELEVATION: 229.00'

BENCHMARK NO. 38: 12" DIA. CONCRETE MONUMENT WITH BRASS DISK STAMPED #38 ELEVATION: 222.50'

!	LINE TABL	.E
LINE	BEARING	DISTANCE
L1	S 83*18'48" W	29.96'
L2	S 9'38'21" E	25.69'
L3	S 3'55'42" E	22.71'
L4	S 3°41'17" W	18.23'
L5	N 86°18'43" W	29.74'
L6	N 86°18'43" W	29.74'
L7	S 86'18'43" E	29.74'
L8	S 87'15'45" E	29.97
L9	N 3°55'42" W	22.71'
L10	N 1°46'56" E	25.69'
L11	N 88'58'58" E	34.11'



avl | amt | geoteahnical STRUCTURAL | SURVEY


CORPORATE OFFICE 401 W 26TH ST BRYAN, TEXAS 77803 www.gessnerengineering.com

979.836.6855 BRENHAM BRYAN 979.680.8840 FORT WORTH 817.405.0774 GEORGETOWN 512.930.5832 210.305.4792 SAN ANTONIO TBPELS FIRM REGISTRATION

NUMBERS: F-7451 & F-101914599

FINAL PLAT

ISSUE DATE: 02/08/23 DRAWN BY: TPD KJP CHECKED BY: PROJECT #: 22-0776



SHEET 2

SEE SHEET 5 FOR NOTES AND

SIGNATURES/DECLARATIONS

SHEET 4

PROJECT #:

SHEET 2 OF 5

22-0776

D.R.W.C.T.

[CM]

ADMINISTRATOR FOR FLOODPLAIN PERMIT

DEVELOPMENT OR CONSTRUCTION ON LOTS 21,


REQUIREMENTS BEFORE BEGINNING ANY


22, 35, 38, 39, 40, 41, OR 42.

DEED RECORDS OF

WASHINGTON COUNTY, TEXAS

CONTROLLING MONUMENT





CURVE TABLE					
DFLTA	RADIUS	LENGTH	TANGENT	CHORD BRG.	CHORD DIST.
49*40′47″	25.00′	21.68′	11.57′	S 22°04′29″ W	21.00'
64°04'38"	60.00'	67.10 '	37.55'	S 14°52'33" W	63.66'
75*36'09"	60.00'	79.17	46.54	S 54*57'50" E	73.55'
139°40'47"	60.00'	146.27'	163.43'	N 17'23'41" E	112.65'
49°40'47"	25.00'	21.68'	11.57'	N 27°36'19" W	21.00'
	75°36'09" 139°40'47"	49'40'47" 25.00' 64'04'38" 60.00' 75'36'09" 60.00' 139'40'47" 60.00'	DELTA RADIUS LENGTH 49°40'47" 25.00' 21.68' 64°04'38" 60.00' 67.10' 75°36'09" 60.00' 79.17' 139°40'47" 60.00' 146.27'	DELTA RADIUS LENGTH TANGENT 49°40'47" 25.00' 21.68' 11.57' 64°04'38" 60.00' 67.10' 37.55' 75°36'09" 60.00' 79.17' 46.54' 139°40'47" 60.00' 146.27' 163.43'	DELTA RADIUS LENGTH TANGENT CHORD BRG. 49°40'47" 25.00' 21.68' 11.57' \$ 22°04'29" W 64°04'38" 60.00' 67.10' 37.55' \$ 14°52'33" W 75°36'09" 60.00' 79.17' 46.54' \$ 54°57'50" E 139°40'47" 60.00' 146.27' 163.43' N 17°23'41" E



avl | ant | geotechnical STRUCTURAL | SURVEY

CORPORATE OFFICE 401 W 26TH ST BRYAN, TEXAS 77803 www.gessnerengineering.com

BRENHAM 979.836.6855 BRYAN 979.680.8840 FORT WORTH 817.405.0774 GEORGETOWN 512.930.5832 210.305.4792 SAN ANTONIO TBPELS FIRM REGISTRATION

NUMBERS: F-7451 & F-101914599

FINAL PLAT CHILDRESS RANCH ESTATES

J. DAVIS SURVEY ABSTRACT NO. 37 WASHINGTON COUNTY, TEXAS SCALE: 1"=100' JANUARY, 2023 DEVELOPED BY: DEMPSEYGILL, LLC 8904 FM 2920 STE. 1A

115.34 ACRES

SPRING, TEXAS 77379

SHEET 4 OF 5

ADJOINER BOUNDARY LINE SURVEY MONUMENT 1/2" CAPPED IRON ROD SET MARKED 'GESSNER' IRON ROD FOUND OFFICIAL RECORDS OF O.R.W.C.T. WASHINGTON COUNTY, TEXAS DEED RECORDS OF D.R.W.C.T. WASHINGTON COUNTY, TEXAS CONTROLLING MONUMENT [CM]

BOUNDARY LINE

<u>LEGEND</u>


SFHA STATEMENT:

LOTS 21, 22, 35, 38, 39, 40, 41, & 42 ARE LOCATED/PARTIALLY LOCATED IN THE SPECIAL FLOOD HAZARD AREA. CONTACT THE WASHINGTON COUNTY FLOODPLAIN ADMINISTRATOR FOR FLOODPLAIN PERMIT REQUIREMENTS BEFORE BEGINNING ANY DEVELOPMENT OR CONSTRUCTION ON LOTS 21, 22, 35, 38, 39, 40, 41, OR 42.

BENCHMARK NO. 37: 12" DIA. CONCRETE MONUMENT WITH BRASS DISK STAMPED #37 ELEVATION: 229.00' **BENCHMARK NO. 38:** 12" DIA. CONCRETE MONUMENT WITH BRASS DISK STAMPED #38

BENCHMARKS:

ELEVATION: 222.50'



SIGNATURES/DECLARATIONS

FINAL PLAT

ISSUE DATE: 02/08/23 **TPD** DRAWN BY: KJP CHECKED BY: PROJECT #: 22-0776

CHILDRESS RANCH ESTATES 115.34 ACRE TRACT J. DAVIS SURVEY, A-37 WASHINGTON COUNTY, TEXAS

Field notes of a 115.34 acre tract or parcel of land, lying and being situated in the J. Davis Survey, A-37, Washington County, Texas and being all of the called 115.41 acre tract described in the deed from Gail Marie Flewellen Brooks to IGOR, LLC as recorded in Volume 1833, Page 815 of the Official Records of Washington County, Texas and said 115.34 acre tract being more particularly described by metes and bounds, as follows:

BEGINNING at the northwest corner of the beforementioned 115.41 acre tract in the south right of way line of Farm to Market Road No. 1155, same being the northeast corner of the Gray, Sr.-called 16.7865 acre tract-Volume 1332, Page 506 of the Official Records of Washington County, Texas;

THENCE N 86° 00' 27" E along the south right of way line of FM No. 1155 (100' wide row) for a distance of 867.56 feet to the northeast corner of the 115.45 acre tract, same being the northwest corner of the Hall-called 14.964 acre-Tract 1-Volume 344, Page 809 of the Deed Records of Washington County, Texas, (See also Volume 1168, Page 670 of the Official Records of Washington County, Texas), from which a concrete right of way marker bears N 03° 13' 27" W~98.68 feet;

THENCE S 02° 45' 55" E along the east line of the beforementioned 115.41 acre tract, same being the west line of the beforementioned 14.964 acre tract and the west line of the Pedro & Ellis-59.855 acre tract-Volume 1288, Page 455 of the Official Records of Washington County, Texas, adjacent to a fence, at a distance of 1.89 feet, pass a $\frac{1}{2}$ " iron rod found, continue on for a total distance of 6089.44 feet to a $\frac{1}{2}$ " iron rod found at a fence corner marking the southeast corner of the 115.41 acre tract in the north line of the Kern-remainder of 392.02 acre tract-Volume 244, Page 26 of the Deed Records of Washington County, Texas, same being the southwest corner of the 59.855 acre tract;

THENCE S 81° 31' 51" W along the south line of the beforementioned 115.41 acre tract, same being the north line of the beforementioned 392.02 acre tract, adjacent to a fence, for a distance of 777.81 feet to a ½" iron rod with "Gessner" cap set at the southwest corner of the 115.41 acre tract, same being the northwest corner of the 392.02 acre tract in the east line of the McCain, et al-called 16.7865 acre -Tract 7, Volume 388, Page 896 of the Official Records of Washington County, Texas;

THENCE along the east line of the following tracts: the beforementioned 16.7865 acre-Tract 7, the Johnson-16.7865 acre-Tract 6- Volume 388, Page 896, the Palmer-16.7865 acre -Tract 5-Volume 1324, Page 342, the Tarleton Legacy Inc -16.7865 acre Tract 4 -Volume 1299, Page 117, the Novac-16.738 acre Tract 3- Volume 1328, Page 743, the Pearson-16.7865 acre tract- Volume 1321, Page 974 and the beforementioned Gray-16.7865 acre tract (1332/506), along or near the east line of the abovementioned Davis Survey, A-37, adjacent to a crooked fence, as follows:

N 03° 48' 28" W for a distance of 673.94 feet to a 10" Elm Tree fence corner;

S 83° 34' 31" W for a distance of 8.92 feet to an iron rod found marking the interior ell corner of the 16.7895 acre -Tract 7;

N 01° 56' 17" W for a distance of 28.75 feet to a 3/8" iron rod found (bent) at the common corner of the 16.7865 acre -Tract 7 and the 16.7895 acre- Tract 6;

N 03 $^{\circ}$ 36' 26" W for a distance of 901.98 feet to a 3/8" iron rod found (bent) marking the common corner of the 16.7865 acre-Tract 6 and the 16.7865 acre-Tract 5:

N 02° 47' 58" W for a distance of 898.85 feet to a 3/8" iron rod found marking the common corner of the 16.7865 acre -Tract 5 and the 16.7895 acre- Tract 4:

N 03° 46' 19" W for a distance of 898.65 feet to a 3/8" iron rod found marking the common corner of the 16.7865 acre -Tract 4 and the 16.738 acre- Tract 3;

N 03° 26' 19" W for a distance of 904.78 feet to a 3/8" iron rod found near a 1" iron pipe found marking the common corner of the 16.738 acre -Tract 3 and the 16.7865 acre tract (1321/974);

N 03° 33' 53" W for a distance of 913.97 feet to a 1" iron pipe found marking the common corner of the 16.7865 acre tract (1321/974) and the 16.7865 acre tract (1332/506):

N 03° 58' 48" W for a distance of 928.51 feet to the PLACE OF BEGINNING, containing 115.34 acres of land, more or less.



BENCHMARKS:
BENCHMARK NO. 37:
12" DIA. CONCRETE
MONUMENT WITH BRASS
DISK STAMPED #37

ELEVATION: 229.00'
BENCHMARK NO. 38:
12" DIA. CONCRETE
MONUMENT WITH BRASS
DISK STAMPED #38
ELEVATION: 222.50'

THE STATE OF TEXAS
COUNTY OF WASHINGTON

OWNER DEDICATION

I, CURT JOSLIN, MANAGING PARTNER OF CHILDRESS RANCH, LP, OWNER OF THE PROPERTY SUBDIVIDED IN THE ABOVE AND FOREGOING MAP OF CHILDRESS RANCH SUBDIVISION, DO HEREBY MAKE SUBDIVISION OF SAID PROPERTY, ACCORDING TO THE LINES STREETS, LOTS, ALLEYS, PARKS, BUILDING LINES, AND EASEMENTS THEREIN SHOWN, AND DESIGNATE SAID SUBDIVISION AS CHILDRESS RANCH SUBDIVISION IN THE J. DAVIS SURVEY A—37, WASHINGTON COUNTY, TEXAS; AND DEDICATE TO PUBLIC USE, AS SUCH, THE STREETS, ALLEYS, PARKS, AND EASEMENTS SHOWN THEREON FOREVER AND DO HEREBY WAIVE ANY CLAIMS FOR DAMAGES OCCASIONED BY THE ESTABLISHING OF GRADES AS APPROVED FOR THE STREETS AND ALLEYS DEDICATED, OR OCCASIONED BY THE ALTERATION OF THE SURFACE OF ANY PORTION OF STREETS OR ALLEYS TO CONFORM TO SUCH GRADES; AND DO HEREBY BIND MYSELF, MY HEIRS AND ASSIGNS TO WARRANT AND FOREVER DEFEND THE TITLE TO THE LAND SO DEDICATED.

THIS IS TO CERTIFY THAT I, <u>CURT JOSLIN</u>, HAVE COMPLIED WITH OR WILL COMPLY WITH ALL REGULATIONS HERETOFORE ON FILE WITH THE COUNTY AND ADOPTED BY THE COMMISSIONERS COURT OF WASHINGTON COUNTY.

FURTHER, I, DO HEREBY DEDICATE FOREVER TO THE PUBLIC A STRIP OF LAND A MINIMUM OF FIFTEEN (15) FEET WIDE OF EACH SIDE OF THE CENTERLINE OF ANY AND ALL GULLIES, RAVINES, DRAWS, SLOUGHS OR OTHER NATURAL DRAINAGE COURSES LOCATED IN SAID SUBDIVISION, AS EASEMENTS FOR DRAINAGE PURPOSES, GIVING WASHINGTON COUNTY AND/OR ANY OTHER PUBLIC AGENCY THE RIGHT TO ENTER UPON SAID EASEMENT AT ANY AND ALL TIMES FOR THE PURPOSE OF CONSTRUCTION AND/OR MAINTAINING DRAINAGE WORK AND/OR STRUCTURE.

FURTHER, ALL OF THE PROPERTY SUBDIVIDED IN THE ABOVE AND FOREGOING MAP SHALL BE RESTRICTED IN ITS USE, WHICH RESTRICTIONS SHALL RUN WITH THE TITLE OF THE PROPERTY, AND SHALL BE ENFORCEABLE, AT THE OPTION OF WASHINGTON COUNTY, BY WASHINGTON COUNTY OR ANY OTHER CITIZEN THEREOF, BY INJUNCTION AS FOLLOWS:

- 1.) THE DRAINAGE OF SEPTIC TANKS INTO ROAD, STREET, ALLEY OR ANY OTHER PUBLIC DITCHES, EITHER DIRECTLY OR INDIRECTLY, IS STRICTLY PROHIBITED.
- 2.) DRAINAGE STRUCTURES UNDER PRIVATE DRIVEWAYS SHALL HAVE A NET DRAINAGE OPENING AREA OF SUFFICIENT SIZE TO PERMIT THE FREE FLOW OF WATER WITHOUT BACKWATER.

FURTHER, I DO HEREBY DECLARE THAT ALL PARCELS OF LAND DESIGNATED AS LOTS ARE ORIGINALLY INTENDED FOR THE CONSTRUCTION OF RESIDENTIAL DWELLING UNITS THEREON (OR THE PLACEMENT OF MANUFACTURED HOUSING SUBDIVISION) AND SHALL BE RESTRICTED FOR THE SAME UNDER THE TERMS AND CONDITIONS OF SUCH RESTRICTIONS FILED SEPARATELY, UNLESS OTHERWISE NOTED.

FURTHER, I DO HEREBY COVENANT AND AGREE THAT THOSE STREETS LOCATED WITHIN THE BOUNDARIES OF THIS PLAT SPECIFICALLY NOTED AS PRIVATE STREETS, SHALL BE HEREBY ESTABLISHED AND MAINTAINED AS PRIVATE STREETS BY THE OWNERS, HEIRS AND ASSIGNS TO PROPERTY LOCATED WITHIN THE BOUNDARIES OF THIS PLAT AND ALWAYS AVAILABLE FOR THE GENERAL USE OF SAID OWNERS AND TO THE PUBLIC FOR FIREMAN, FIRE FIGHTING EQUIPMENT, POLICE AND OTHER EMERGENCY VEHICLES OF WHATEVER NATURE AT ALL TIMES AND DO HEREBY BIND MYSELF, MY HEIRS AND ASSIGNS TO WARRANT AND FOREVER DEFEND THE TITLE TO THE LAND SO DESIGNED AND ESTABLISHED AS PRIVATE STREETS.

, WASHINGTON COUNTY, TEXAS,

	(SIGNATURE OF OWNER)
	(PRINTED NAME OF OWNER)
IOTARY PUBLIC ACKNO	
THE STATE OF TEXAS	NO.
	ACKNOWLEDGED BEFORE ME ON THE DAY OF
IOTARY PUBLIC, STATE	

SHEET LAYOUT:

WITNESS MY HAND IN ___

NOTARY COMMISSION EXPIRATION

NOTARY PRINTED NAME

SURVEYOR'S ACKNOWLEDGEMENT

THIS IS TO CERTIFY THAT I, <u>S.M. KLING</u>, A REGISTERED PROFESSIONAL LAND SURVEYOR OF THE STATE OF TEXAS, REGISTRATION NO. 2003 HAVE PLATTED THE ABOVE SUBDIVISION FROM AN ACTUAL SURVEY ON THE GROUND MEETING ALL MINIMUM STANDARDS AS SET FORTH BY THE TBPLS; AND THAT ALL EASEMENTS AS APPEAR OF RECORD IN THE OFFICE OF THE COUNTY CLERK OF WASHINGTON COUNTY, TEXAS, ARE DEPICTED THEREON AND THAT ALL LOT CORNERS, ANGLE POINTS AND POINTS OF CURVE ARE PROPERLY MARKED WITH IRON RODS OF MINIMUM 5/8 INCH DIAMETER AND THIRTY (30) INCHES LONG, AND THAT THIS PLAT CORRECTLY REPRESENTS THAT SURVEY MADE BY ME.

(SURVEYOR SIGNATURE)		

COUNTY CLERK FILING ACKNOWLEDGEMENT STATEMENT

(TEXAS REGISTRATION NO)

THE STATE OF TEXAS
COUNTY OF WASHINGTON

I,, CLERIOF THE COUNTY COURT OF WASHINGTON COUNTY, TEXAS, DO HEREBY
CERTIFY THAT THE WITHIN INSTRUMENT WITH ITS CERTIFICATE OF
AUTHENTICATION WAS FILED FOR REGISTRATION IN MY OFFICE ON THE
DAY OF, 2, AT
O'CLOCK,M, AND DULY RECORDED ON THE DAY OF
, 2, ATO'CLOCKM, IN PLAT
CABINET SHEET OF RECORD IN THE PLATRECORDS OF WASHINGTON COUNTY, TEXAS.

WITNESS MY HAND AND SEAL OF OFFICE, AT BRENHAM, WASHINGTON COUNTY, TEXAS, THE DAY AND DATE LAST ABOVE WRITTEN.

CLERK OF THE COUNTY COURT WASHINGTON COUNTY, TEXAS

COMMISSIONERS COURT ACKNOWLEDGEMENT

SFHA STATEMENT:

LOTS 21, 22, 35, 38, 39, 40, 41, & 42 ARE

FLOOD HÁZARD AREA. CONTACT THE

ADMINISTRATOR FOR FLOODPLAIN PERMIT

REQUIREMENTS BEFORE BEGINNING ANY

WASHINGTON COUNTY FLOODPLAIN

22, 35, 38, 39, 40, 41, OR 42.

LOCATED/PARTIALLY LOCATED IN THE SPECIAL

DEVELOPMENT OR CONSTRUCTION ON LOTS 21,

APPROVED BY THE COMMISSIONERS DAY OF	COURT OF WASHINGTON COUNTY, TEXAS, THIS
	COUNTY JUDGE
COMMISSIONER, PRECINCT 1	COMMISSIONER, PRECINCT 3

FM 1155 BRAZOS RIVER

HWY 105 h

VICINITY MAP

CHILDRESS

RANCH

ESTATES

NOTES:

HWY 36

- 1. CURRENT TITLE APPEARS TO BE VESTED IN IGOR, LLC BY VIRTUE OF GENERAL WARRANTY DEED RECORDED IN VOL. 1833, PG. 815 OF THE OFFICIAL RECORDS OF WASHINGTON COUNTY, TEXAS.
- 2. BASIS OF BEARINGS IS THE MONUMENTED EAST LINE OF THE CALLED 117.41 ACRE TRACT DESCRIBED IN VOL. 1833, PG. 815 WITH A RECORD BEARING OF S 02'45'55"E.
- 3. ELEVATIONS CORRESPOND TO NAVD 88 COORDINATES AND ARE DERIVED FROM GPS OBSERVATION.
- 4. PORTIONS OF THIS PROPERTY FALL WITHIN THE 100 YEAR FLOODPLAIN, ZONE A (SHADED AREA) AREAS OF 1% ANNUAL CHANCE FLOOD ACCORDING TO THE FEMA FIRM MAP FOR WASHINGTON COUNTY, TEXAS (UNINCORPORATED AREAS), COMMUNITY MAP NO. 481188, PANEL NO. 0350C, MAP NO. 48477C0350C, EFFECTIVE DATE OF AUGUST 16, 2011.

ALL FINISHED FLOOR ELEVATIONS LOCATED OUTSIDE THE FEMA 100 YEAR FLOODPLAIN SHALL HAVE A MINIMUM ELEVATION 1—FOOT ABOVE THE NEAREST HIGHEST ADJACENT GRADE.

LOTS 21, 22, 39, 40, 41 & 42 ARE LOCATED/ARE PARTIALLY LOCATED IN ZONE A. CONTACT THE WASHINGTON COUNTY FLOODPLAIN ADMINISTRATOR FOR FLOODPLAIN PERMIT REQUIREMENTS BEFORE BEGINNING ANY DEVELOPMENT OR CONSTRUCTION ON LOTS 21, 22, 39, 40, 41 & 42.

- 5. MINIMUM BUILDING SETBACKS:
- 75' FRONT SETBACK
- 25' REAR SETBACK10' MINIMUM SIDELINE SETBACK
- 6. NO ROAD, STREET OR PASSAGEWAY SET ASIDE IN THIS PLAT SHALL BE MAINTAINED BY WASHINGTON COUNTY, TEXAS IN THE ABSENCE OF AN EXPRESS ORDER OF THE COMMISSIONERS COURT ENTERED OF RECORD IN THE MINUTES OF THE COMMISSIONERS COURT OF WASHINGTON COUNTY, TEXAS SPECIFICALLY ACCEPTING SUCH ROAD, STREET OR PASSAGEWAY FOR COUNTY MAINTENANCE.
- 7. 12" DIA. CONCRETE MONUMENT BENCHMARK #XXX DATUM: NAVD88

CIVIL | CMT | CEOTECHNICAL STRUCTURAL | SURVEY

CORPORATE OFFICE
401 W 26TH ST
BRYAN, TEXAS 77803
www.gessnerengineering.com

BRENHAM 979.836.6855
BRYAN 979.680.8840
FORT WORTH 817.405.0774
GEORGETOWN 512.930.5832
SAN ANTONIO 210.305.4792
TBPELS FIRM REGISTRATION

NUMBERS: F-7451 & F-101914599

FINAL PLAT CHILDRESS RANCH ESTATES 115.34 ACRES

J. DAVIS SURVEY ABSTRACT NO. 37
WASHINGTON COUNTY, TEXAS
SCALE: 1"=100' JANUARY, 2023

DEVELOPED BY: DEMPSEYGILL, LLC 8904 FM 2920 STE. 1A SPRING, TEXAS 77379

SHEET 5 OF 5

FINAL PLAT

ISSUE DATE: 02/08/23

DRAWN BY: TPD

CHECKED BY: KJP

PROJECT #: 22-0776

-0776 Preliminary & Final Plat dwa